# MARYLAND SPRINT SERIES



## **Maryland Sprint Series Kart Classes**

All engines are Oil & Gas (LO 206 is Spec 87 octane OR Sunoco 95 octane)
SFI Certified Chest Protector is required on ALL Drivers of the AGE 12 and under
Neck Brace/Helmet Support required for ALL Drivers for all track activity.

#### **4 CYCLE DIVISIONS**

LOCAL OPTION: If 3 or more drivers arrive to form a class not listed, effort will be made to add the class(es).

## LO206 Sportsman

Age: 7 to 12 years

Minimum weight: 265 lbs.

Engine: Briggs & Stratton LO206 Restrictor: Carb. Slide Green .490"

Tires: Open brand / 7" on 4.5/6 x 5 front/rear, 8.25" on 6.00 x 5 rear

Chassis: Cadet or full size Bodywork: CIK or Gold Cup

### LO206 Junior

Age: 12 to 15 years

Minimum weight: 320

Engine: Briggs & Stratton LO206 Restrictor: Carb. Slide Yellow .570"

Tires: Open brand / 7" on 4.5/6 x 5 front/rear, 8.25" on 6.00 x 5 rear

Chassis: Full size only Bodywork: CIK or Gold Cup

## LO206 Senior

Age: 15 years & up Minimum weight: 375 lbs. Engine: Briggs & Stratton LO206

Tires: Open brand / 7" on 4.5/6 x 5 front/rear, 8.25" on 6.00 x 5 rear

Chassis: Full size only Bodywork: CIK or Gold Cup

## **2 CYCLE DIVISIONS**

LOCAL OPTION: If 3 or more drivers arrive to form a class not listed, effort will be made to add the class(es).

# **TaG JUNIOR**

Age: 12 to 15 years Engine & weights: Leopard - 320 lbs X125 - 320 lbs X30 - 320 lbs

Jr Rotax Fr 125 EVO - 320 lbs

Tires: Open brand / 4.60 x 5 front, 7.10 x 5 rear

Fuel: Gas & Oil

Exhaust: Stock pipe & restricted exhaust header as supplied by manufacturer for each specific engine - WKA

## **TaG Senior**

Age: 15 years & up Engine & weights: Rotax Evo - 360 lbs PRD - 350 lbs Leopard - 360 lbs X-30 - 365 lbs X125 - 365 lbs Matori Seven - 380 lbs.

ROK/Vortex - 385 lbs. TMK9 - 375 lbs.

Tires: Open brand / 4.60 x 5 front, 7.10 x 5 rear

Exhaust: Stock pipe & restricted exhaust header as supplied by manufacturer for each specific engine - WKA

## **TaG Masters**

Age: 40 years & up Engine & weights: Rotax - 385 lbs. PRD - 370 lbs.

X-30 - 390 lbs. Leopard - 385 lbs Matori Seven - 400 lbs. ROK/Vortex - 405 lbs.

Tires: Open brand / 4.60 x 5 front, 7.10 x 5 rear

Exhaust: Stock pipe & restricted exhaust header as supplied by manufacturer for each specific engine - WKA

Tires: Open brand / 4.60 x 5 front, 7.10 x 5 rear Rules and Regulations are as per CIK/FIA

#### **CLONE DIVISIONS**

## **Clone Stock**

Age: 12 & up

Engine: 196cc all stock motor (Governor may be adjusted, but NOT removed)

Minimum weight: 350 lbs. Fuel: Gasoline 87 Octane Air Filter: Factory Air Box

Flywheel: May run stock flywheel or PVL flywheel. (MUST run stock keyway.)

Carburetor: Stock factory carburetor (.29 max jet) Chain: # 35 or #219 chain size is allowed.

Clutch: Shoe Clutch only

Chassis:Standard (No homemade chassis will be approved)

Body:CIK or Gold Cup

Tires: Open brand 4.5/6 x 5 front, 6.00 x 5 or 7.10 x 5 rear

\*\*\* NO OTHER MODIFICATIONS ALLOWED!!!\*\*\*

## **Clone Modified**

Age: 12& up

Engine: BSP-100 196cc, Single Cylinder, 2 Valve, 4 Cycle Engine

Minimum weight: 375 lbs.

Fuel: Gasoline 89 OctaneEthanol Free ONLY

Air Filter: Factory Air Box

Flywheel: May run stock or PVL flywheel. Keyway MUST remain stock.

Carburetor: Main fuel jet may not be bigger than .42

Chain: #35 or #219 chain size is allowed.

Clutch: :Shoe Clutch or 2 Disc Bully style clutch only (No other modifications are allowed).

Chassis:Standard(No homemade chassis will be approved)

Body:CIK or Gold Cup

Wheels/Tires/Widths: Sandy Hook Speedway Open Brand Tires: Open brand 4.5/6 x 5 front, 6.00 x 5 or 7.10 x 5 rear

\*\*\* SEE SHS or NS CLONE RULES FOR ALL OTHER SPECIFICS \*\*\*

LOCAL OPTION: If 3 or more drivers arrive to form a class not listed, effort will be made to add the class(es).

Best effort will be made to have awards for Local Option classes, but no guarantee.